

ASIA E-cots Pte Ltd

Asia Ecots

TDK FOUP Load Port TAS300 Type-E3

Price per Unit (piece): [Call for Pricing](#)



TDK FOUP Load Port TAS300 Type-E3

Features

- Complies with SEMI Standard. E15.1, E47, E62, E63, E64.
- Port door has excellent durability for repetitive operations.
- **No need to adjust Loadport for each FOUP Vendor.**
- Available option--Wafer Mapping Unit.



TDK FOUP Load Port TAS300 Type-E3

Specifications

Machine Capacity

Detection function	Presence of FOUP
	FOUP normal of position
	Prevents hand front being caught
	FOUP docking
	Wafer flying out
Stroke	Y-axis (FOUP forward and back motion) 70mm (SEMI Standard)
	Z-axis (FOUP door rise and lower motion) 375mm
Repeat accuracy	Y-axis (FOUP forward and back motion) ± 0.1 mm
	Z-axis (FOUP door rise and lower motion) ± 0.1 mm
Operation Time	FOUP open operation; 10sec.
	FOUP close operation; 10sec

Suitable Product Specifications

300mm SEMI E47.1,E62 compliant product

[Vendor Information](#)

Customer Reviews: There are yet no reviews for this product.
Please log in to write a review.